

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>A1 Medium</b> Basal liquid medium for fecal coliforms detection in water and food. TRITON X 100 supplement	APHA	500 g 100 g 5x5 mL	610105 620105 80046
<b>Acetamide Agar</b> Medium for differentiation of nonfermentative, Gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.		500 g	610312
<b>Acetamide Broth</b> Broth for the differentiation of nonfermentative, Gram-negative bacteria, especially <i>Pseudomonas aeruginosa</i> , on the basis of acetamide utilization.		500 g	610313
<b>Acetamide Broth ISO 16266</b> Liquid medium for detection of <i>P. aeruginosa</i> in water samples, according to ISO 16266.		500 g	610392
<b>Aeromonas Agar Base</b> Basal medium for selective isolation of <i>Aeromonas spp.</i> Ampicillin supplement		500 g 100 g 10 vials	610048 620048 81001
<b>Alkaline Peptone Water</b> Liquid enrichment medium for <i>Vibrio spp.</i> isolation.	APHA	500 g 100 g	610098 620098
<b>Amies Transport Medium (with charcoal)</b> Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.		500 g 100 g 5 kg	610152 620152 6101525
<b>Amies Transport Medium (w/o charcoal)</b> Semi-solid medium for transport of clinical, environmental specimens and of microorganisms.		500 g 100 g 5 kg	610191 620191 6101915
<b>Amos Kont Jones Medium</b> Liquid medium for detection of thermophilic microorganisms in food.		500 g	610386
<b>Anaerobic Agar (Brewer)</b> Medium for cultivating anaerobic microorganisms.		500 g	610320
<b>Andrade Lactose Peptone Water</b> Liquid medium for coliforms detection with andrade's indicator.		500 g 100 g	610118 620118
<b>Andrade Peptone Water</b> Liquid enrichment medium with andrade's indicator.		500 g 100 g	610119 620119
<b>Antibiotic Agar No.1</b> Surface medium for the antibiotic assay by Agar-diffusion method.	E.P.	500 g	610314
<b>Antibiotic Broth No.3</b> Broth for turbidimetric assay of antibiotics.	U.S.P.	500 g	610316
<b>Antibiotic Agar No.11</b> Medium for the microbiological assay of neomycin, used for the base and seed layers.	E.P.	500 g	610315
<b>APT Agar</b> Medium for counting and cultivating heterofermentative lactic acid bacteria. Tween 80 supplement	APHA	500 g 2x50 mL	610300 80031
<b>Arginine Decarboxylase Broth</b> Broth for the detection of the production of arginine decarboxylase by Enterobacteriaceae.		500 g	610306
<b>Asparagine Enrichment Broth</b> Liquid medium for <i>Pseudomonas aeruginosa</i> detection with MPN method in swimming pools and waters designed for bathing.	APHA	500 g 100 g	610138 620138
<b>Azide Blood Agar Base</b> Selective basal medium for streptococci isolation. Sheep Blood Defibrinated		500 g 100 g 50 mL	610153 620153 83296
<b>Azide Dextrose Broth</b> Selective liquid medium for fecal streptococci detection in water and food.	APHA	500 g 100 g	610003 620003
<b>Azide Maltose Agar KF</b> Selective medium for fecal streptococci isolation and enumeration. TTC 1% supplement	APHA	500 g 100 g 5x10 mL	610154 620154 80300
<b>Azide Violet Blood Agar Base</b> Selective basal medium for streptococci isolation. Sheep Blood Defibrinated		500 g 100 g 50 mL	610155 620155 83296
<b>Bacillus Cereus Agar Base (MOSEL, MYP)</b> Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> . Egg Yolk emulsion Supplement for lecithinase producers bacteria ( <i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i> ) isolation. <i>Bacillus cereus</i> supplement (Polymyxin B)	ISO 7932 ISO 7932	500 g 100 g 4x50 mL 10 vials	610114 620114 80219 81016
<b>Bacillus Cereus Agar Base (PEMBA)</b> Basal medium for selective isolation and enumeration of <i>Bacillus cereus</i> . Egg Yolk emulsion Supplement for lecithinase producers bacteria ( <i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i> ) isolation. <i>Bacillus cereus</i> supplement (Polymyxin B)	ISO 21871 ISO 7932	500 g 100 g 4x50 mL 10 vials	610136 620136 80219 81016

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>Baird Parker Agar Base</b> Selective basal medium for <i>Staphylococcus aureus</i> isolation.	ISO 6888-1	500 g 100 g	610004 620004
Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1	4x50 mL	80122
R.P.F. supplement Selective and diagnostic supplement for isolation, enumeration and confirmation of <i>Staphylococcus aureus</i> from food and other specimens.	ISO 6888-2	8 vials	81057
<b>Baird Parker Agar Base acc. to E.P.</b> Selective basal medium for <i>Staphylococcus aureus</i> isolation.	E.P.	500 g	610338
Egg Yolk Tellurite emulsion Supplement for coagulase positive staphylococci isolation in food.	ISO 6888-1	4x50 mL	80122
<b>Barnes Agar Base</b> Selective basal medium for fecal streptococci isolation and identification.		500 g 100 g	610156 620156
TTC 1% supplement		5x10 mL	80300
<b>BAT Agar</b> Medium for detection of <i>Alicyclobacillus spp.</i> in fruit juices and other beverages.		500 g	610361
<b>Beer Universal Agar</b> Medium for isolation of microorganisms contaminating beer.		500 g 100 g	610126 620126
<b>Biggy (Nickerson) Agar</b> Selective medium for <i>Candida spp.</i> isolation and presumptive identification.		500 g 100 g	610135 620135
<b>Bile Aesculin Agar</b> Medium for group D streptococci isolation.		500 g 100 g	610210 620210
<b>Bile Aesculin Broth</b> Selective medium for group D streptococci isolation.	ISO 7899-2	500 g 100 g	610151 620151
<b>Bile Aesculin Azide Agar</b> Selective medium for group D streptococci isolation.	ISO 7899-2	500 g 100 g	610001 620001
<b>Biotone Agar</b> Medium for fastidious microorganisms cultivation.	APHA	500 g 100 g	610157 620157
<b>Bismuth Sulfite Agar</b> Selective medium for isolation and differentiation of <i>Salmonella typhi</i> and other salmonellae from clinical specimens and other materials.	U.S.P.	500 g	610301
<b>Bismuth Sulphite Agar</b> Selective medium for detection of <i>Salmonella spp.</i> in food and other materials.	ISO 6579-1	500 g	610387
<b>Blood Agar Base</b> Basal medium for fastidious microorganisms isolation and for haemolysis test.		500 g 100 g	610005 620005
Sheep Blood Defibrinated		50 mL	83296
<b>Blood Agar Base No.2</b> Basal medium for fastidious microorganisms isolation and for haemolysis test.		500 g 100 g	610188 620188
Sheep Blood Defibrinated		50 mL	83296
<b>Bolton Broth</b> Basal Broth for enrichment of <i>Campylobacter spp.</i>	ISO 10272-1	500 g 100 g	610216 620216
Campylobacter C.T.V.A. supplement (Cefoperazone, Trimethoprim, Vancomycin, Amphotericin B) Selective supplement for enrichment of <i>Campylobacter spp.</i>	ISO 10272-1	10 vials	81077
<b>Bordet Gengou Agar Base</b> Basal medium for selective isolation of <i>Bordetella spp.</i>		500 g 100 g	610006 620006
Bordetella supplement (Cephalexin)		10 vials	81013
Sheep Blood Defibrinated		50 mL	83296
<b>Brain Heart Infusion Agar</b> Medium for cultivation of fastidious aerobic and anaerobic bacteria.		500 g 100 g	610007 620007
<b>Brain Heart Infusion Broth</b> Medium for cultivation of fastidious aerobic and anaerobic bacteria.		500 g 100 g 5 kg	610008 620008 6100085
<b>Brilliant Green Agar</b> Selective medium for <i>Salmonella spp.</i> isolation other than <i>S. typhi</i> .	U.S.P.	500 g 100 g	610009 620009
<b>Brilliant Green Agar w/ Sulfadiazine</b> Selective medium for the isolation of <i>Salmonella spp.</i>		500 g	610373
<b>Brilliant Green Bile Broth 2%</b> Selective medium for detection and confirmation of coliforms.	ISO 4831 ISO 4832	500 g 100 g 5 kg	610010 620010 6100105
<b>Bromocresol Purple Azide Broth</b> Broth for the confirmation of the enterococci presence, particularly in the bacteriological analysis of water.		500 g	610321
Glycerol supplement (Glycerol)		4x50 mL	80021
<b>Brucella Agar Base</b> Basal medium for selective isolation of <i>Brucella spp.</i> and other bacteria.	APHA	500 g 100 g	610079 620079
Brucella supplement (Polymyxin B, Bacitracin, Cycloheximide, Nalidixic Acid, Nystatin, Vancomycin)		10 vials	81003

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>Brucella Broth</b> Medium for the cultivation of <i>Brucella spp.</i> and other fastidious microorganisms.		500 g	610356
<b>Bryant and Burkey Medium</b> Medium for the selective enrichment of lactate-fermenting clostridia ( <i>C. tyrobutyricum</i> ) which are responsible for "late blowing" in brine-salted semi-hard and hard cheeses and other dairy products.		500 g	610142
<b>Buffered Peptone Water</b> Medium for Salmonella pre-enrichment in food.	ISO 6579 ISO 6785	500 g 100 g 5 Kg	611014 621014 6110145
<b>Buffered Sodium Chloride Peptone Solution acc. to E.P.</b> Medium for the microbial examination of non-sterile pharmaceutical products, e.g. solution for sample preparation or dilution or washing solution.	ISO 21149 E.P.	500 g	610335
<b>Campylobacter Agar</b> Basal medium for selective isolation of <i>Campylobacter spp.</i>	AOAC	500 g 100 g	611007 621007
Sheep Blood Defibrinated		50 mL	83296
Lysed horse blood		100 mL	83397
Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphate, Ferrous sulphate)		10 vials	81050
Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalotin, Vancomycin)		10 vials	81051
Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cyclohexinide, Rifampicin)		10 vials	81004
Campylobacter Skirrow supplement (Polymyxin B, Trimethoprim, Vancomycin)		10 vials	81055
<b>Campylobacter Blood Free Medium Base</b> Basal medium for selective isolation of <i>Campylobacter jejuni</i> , coli, landis from clinical samples.	ISO 10272-1	500 g 100 g	610130 620130
Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B).	ISO 10272-1	10 vials	81037
<b>Campylobacter Enrichment Broth Base</b> Basal Broth for selective enrichment of <i>Campylobacter spp.</i>		500 g 100 g	610131 620131
Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Nystatin)		10 vials	81038
<b>Campylobacter Karmali Agar Base</b> Basal medium for selective isolation of <i>Campylobacter spp.</i>	AOAC	500 g 100 g	610200 620200
Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Vancomycin, Cyclohexinide)		10 vials	81036
<b>Cary Blair Transport Medium</b> Semi-solid medium for transport of clinical specimens and microorganisms.		500 g 100 g	611402 621402
<b>Casein Peptone Lecithin Polysorbate Broth Base</b> Broth for diluting samples of pharmaceutical, cosmetic and other raw materials or final products when determining microbial counts.	U.S.P.	500 g	610302
Tween 20 supplement		2x50 mL	80032
<b>Cetrimide Agar</b> Selective basal medium for <i>Pseudomonas aeruginosa</i> isolation.	E.P.	500 g 100 g 5 kg	610041 620041 6100415
Glycerol supplement		4x50 mL	80021
<b>China-Blue Lactose Agar</b> Non-selective medium for enumeration and differentiation of bacteria in dairy products.		500 g	610362 #
<b>Chromatic™ EC X-GLUC Agar</b> Chromogenic medium for detection and enumeration of <i>E. coli</i> in water and foodstuffs.		500 g 100 g	610602 620602
<b>CLED Agar</b> Differential medium for total bacterial count of urine.		500 g 100 g 5 kg	610012 620012 6100125
<b>CLED Andrade Agar</b> Medium for total bacterial count of urine.		500 g 100 g	610112 620112
<b>Clostridium Broth</b> Semisolid medium for clostridia and other anaerobes cultivation in food and clinical samples.	ISO 6461-1 E.P.	500 g 100 g	610056 620056
<b>Clostridium difficile Agar Base</b> Basal medium for selective isolation of <i>Clostridium difficile</i> .		500 g 100 g	610115 620115
Sheep Blood Defibrinated		50 mL	83296
Clostridium difficile supplement (D-Cyclozine, Cefoxitin)		10 vials	81007
<b>Clostridium Perfringens Agar Base</b> Basal medium for selective isolation of <i>Clostridium perfringens</i> .	ISO 7937 ISO 14189	500 g 100 g	610207 620207
Egg Yolk emulsion	ISO 7932	4x50 mL	80219
Enrichment supplement for lecithinase producing bacteria ( <i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i> ) isolation.			
Clostridium perfringens (T.S.C.) supplement (D-Cycloserine).	ISO 7937	10 vials	81011
Kanamycin / Polymyxin B supplement		10 vials	81031

<b>Dehydrated Culture Media</b>			
Description		Packaging	Ref.
<b>Columbia Agar Base</b> Basal medium for fastidious microorganisms isolation.		500 g 100 g 5 kg	610013 620013 6100135
Sheep Blood Defibrinated		50 mL	83296
CNA (Staf/Strep) supplement (Colistin, Nalidixic acid)		10 vials	81048
<i>Gardnerella vaginalis</i> supplement (Gentamicin, Nalidixic acid, Amphotericin B)		10 vials	81040
<b>Columbia CNA Agar Base</b> Selective medium for isolation of streptococci and staphylococci.		500 g 100 g	610113 620113
Sheep Blood Defibrinated		50 mL	83296
<b>Cooked Meat Medium</b> Medium for cultivating anaerobic bacteria.		500 g	610372
<b>Corn Meal Agar</b> Medium for the cultivation of fungi and chlamyospore production.		500 g 100 g	610123 620123
<b>C.P.L.M. Selective with CAF</b> Selective medium for <i>Trichomonas vaginalis</i> isolation and cultivation.		500 g 100 g	610159 620159
Horse Serum		100 mL	83810
<b>Cronobacter Selective Broth</b> Liquid medium for the selective enrichment of <i>Cronobacter spp</i> (formerly <i>Enterobacter sakazakii</i> ).	ISO 22964	500 g	610389
Vancomycin (5 mg) Supplement		10 vials	81064
<b>Cystine Heart Agar</b> Medium for cultivating <i>Francisella tularensis</i> and gram-negative cocci.		500 g	610506
<b>Czapek Dox Agar</b> Medium for cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.	ISO 6461-1	500 g 100 g	610095 620095
<b>Czapek Dox Broth</b> Liquid medium or cultivation of fungi and bacteria capable of using sodium nitrate as the sole nitrogen source.		500 g 100 g	610072 620072
<b>DNase Test Agar</b> Medium for detection of deoxyribonucleasic activity (DNase) of microorganisms.		500 g 100 g	610205 620205
<b>Demi Fraser Broth</b> Basal Broth for <i>Listeria</i> enrichment.	ISO 11290-1	500 g 100 g 5 kg	610091 620091 6100915
<i>Listeria</i> Fraser supplement (Ferric ammonium citrate)		10 vials	81028
<i>Listeria</i> Fraser supplement (liquid)		10x5 mL	80304
<b>Dermatophyte (D.T.M.) Agar</b> Selective medium for selective isolation of dermatophytic fungi.		500 g 100 g	610160 620160
Dermatophyte supplement (Chlortetracycline)		10 vials	81025
<b>Desoxycholate Agar</b> Selective medium for enterobacteria isolation.	APHA	500 g 100 g 5 kg	610014 620014 6100145
<b>Desoxycholate Citrate Agar</b> Selective medium for pathogenic enterobacteria isolation.		500 g 100 g	610015 620015
<b>Dextrose Agar</b> Medium for cultivation and maintaining of microorganisms.		500 g 100 g	610002 620002
<b>Dextrose Broth</b> Broth for cultivation and maintaining of microorganisms.		500 g 100 g	610161 620161
<b>Dextrose Tryptone Agar</b> Medium for the enumeration of spores of mesophilic and thermophilic <i>Bacillus</i> in sugar, sweet desserts, aromatic preparation and other foodstuffs.		500 g	610198
<b>Dextrose Tryptone Broth</b> Broth for the enumeration of spores of mesophilic and thermophilic bacillus in sugar, sweet desserts, aromatic preparation and other foodstuffs.		500 g	610376
<b>Dichloran-Glycerol (DG18) Agar Base</b> Medium for counting yeasts and moulds in foodstuffs.		500 g	610238
<b>Dichloran Rose-Bengal Chloramphenicol Agar</b> Selective medium for counting yeasts and moulds.		500 g	610237
<b>Drigalski Lactose Agar</b> Selective medium for pathogenic enterobacteria isolation.		500 g 100 g	610016 620016
<b>D/E Neutralizing Broth</b> Broth for the neutralization and testing of antiseptics and disinfectants according to the procedure of Engley and Dey.		500 g	610088
Tween 80 supplement		2x50 mL	80031
<b>E.C. Broth</b> Selective Broth for fecal coliforms detection and for <i>E. coli</i> confirmation.	ISO 7251	500 g 100 g	610063 620063
<b>E.C. Broth MUG</b> Selective broth for fecal coliforms and <i>E. coli</i> detection in water.		500 g	610332

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>E.E. Broth</b> Broth for enterobacteria selective enrichment.	E.P.	500 g 100 g	610017 620017
<b>E.M.B. Levine Agar</b> Selective medium for gram-negative enteric bacteria isolation.	U.S.P.	500 g 100 g	610019 620019
<b>Endo Agar</b> Medium for coliforms detection, enumeration and confirmation.	APHA	500 g 100 g	610020 620020
<b>Enterobacter (Cronobacter) sakazakii Isolation Agar</b> Selective medium for <i>Cronobacter sakazakii</i> isolation.	ISO 22964	500 g	610623
<b>Eugon LT 100 Agar</b> Medium for count and isolation of mesophilic bacteria in cosmetics. Lecithin Supplement	ISO 21149	500 g  4x50 mL	610327  80007
<b>Eugon Broth</b> General purpose medium for cultivating a wide variety of microorganisms from clinical and non-clinical specimens.		500 g	610341
<b>Eugon LT 100 Supplement</b> Lecithin Supplement		4x40 mL 4x50 mL	80048 80007
<b>Eugon LT 100 Broth</b> Broth for count and isolation of mesophilic bacteria in cosmetics.		500 g	610395
<b>E.V.A. Broth (Ethyl Violet Azide)</b> Selective broth for enterococci detection in water and other samples.	APHA	500 g 100 g	611365 621365
<b>Fermentation Broth Base</b> Liquid medium for the carbohydrate utilization test.	ISO 11290	500 g	610030 #
<b>Fluid Thioglycollate Medium</b> Medium for aerobic and anaerobic bacteria for sterility tests.	ISO 7937 E.P. U.S.P.	500 g 100 g 5 kg	610050 620050 6100505
<b>Fraser Broth Base</b> Enrichment medium for detection and enumeration of <i>Listeria monocytogenes</i> and <i>Listeria</i> spp, according to ISO 11290 (both parts). Half Fraser Supplement Fraser Supplement		500 g 100g  10 vials 10 vials	610375 620375  81043 81046
<b>Gassner Agar</b> Selective agar for the detection and isolation of pathogenic Enterobacteriaceae in food and other material according to Gassner.		500 g	610366 #
<b>G.C. Medium</b> Basal medium for <i>Haemophilus</i> spp. and <i>Neisseria</i> spp. isolation. Horse Blood Defibrinated VITALEX growth supplement L.C.A.T. supplement (Lincomycin, Colistin, Amphotericin B, Trimethoprim) V.C.A.T. supplement (Vancomycin, Colistin, Amphotericin B, Trimethoprim) V.C.N. supplement (Vancomycin, Colistin, Nystatin) V.C.N.T. supplement (Vancomycin, Colistin, Nystatin, Trimethoprim) HAEMOPHILUS supplement (Bacitracin, Vancomycin, Clindamycin)		500 g 100 g 100 mL 10 vials 10 vials 10 vials 10 vials 10 vials 10 vials	610022 620022 83396 81023 81012 81041 81022 81024 81014
<b>Gelatin Peptone Agar (Agar gelisato)</b> Medium for total bacterial count of aerobes in ice creams.	AOAC	500 g 100 g 5 kg	610054 620054 6100545
<b>Giolitti Cantoni Broth Base</b> Basal broth for <i>Staphylococcus aureus</i> enrichment. Potassium Tellurite 3.5% supplement	ISO 6888-3	500 g 100 g 5x10 mL	610100 620100 80291
<b>Glucose OF Medium ISO 21528</b> Semisolid medium for confirmation of Enterobacteriaceae.	ISO 21528	500 g	610388
<b>Glucose Salt Teepol Broth</b> Medium for selective enrichment and enumeration (MPN method) of <i>Vibrio parahemolyticus</i> from foodstuffs.		500 g 100 g	610359 610359
<b>G.N. Hajna Broth</b> Broth for gram-negatives enrichment.		500 g 100 g	610163 620163
<b>Heart Infusion Broth</b> Broth for fastidious bacteria cultivation.	AOAC	500 g 100 g 5 kg	611021 621021 6110215
<b>Hektoen Enteric Agar</b> Selective medium for pathogenic enterobacteria isolation.	ISO 21567	500 g 100 g 5 kg	610021 620021 6100215
<b>Herellea Agar</b> Selective medium for isolation from urethral and vaginal specimens.		500 g 100 g 5 kg	610164 620164 6101645
<b>HHD Broth</b> Medium for differentiation of heterofermentative and homofermentative lactic bacteria.		500 g 100 g	610064 # 620064 #
<b>Iron Sulfite Agar</b> Medium for thermophilic anaerobes determination.		500 g 100 g	611401 621401

<b>Dehydrated Culture Media</b>			
Description		Packaging	Ref.
<b>Isosensitest Agar</b> Medium for susceptibility test.		500 g 100 g	611265 621265
<b>Kanamycin Aesculin Azide Agar</b> Selective medium for isolation of group D streptococci in food.	APHA	500 g 100 g	610190 620190
<b>Kligler Iron Agar</b> Differential medium for enterobacteria identification.	ISO 10273	500 g 100 g	610023 620023
<b>Lactose Broth</b> Broth for coliforms detection.	ISO 9308-2	500 g 100 g	611202 621202
<b>Lactose Gelatin Medium</b> Dehydrated medium for the identification of <i>C. perfringens</i> by lactose and gelatin test.	ISO 7937	500 g	610360
<b>Lactose Sulfite Broth</b> Selective medium for the detection and enumeration of spores of <i>Clostridium perfringens</i> in food products.	ISO 7937	500 g	610358
<b>Lauryl Pepto Broth</b> Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610189 620189
<b>Lauryl Sulfate Tryptose Broth Modified (m-LST)</b> Selective medium for the enrichment of <i>Cronobacter sakazakii</i> .	ISO 22964	500 g	610247
<b>Lauryl Tryptose Broth</b> Broth for selective enrichment of coliforms in water and dairy products.	ISO 7251	500 g 100 g	610085 620085
<b>Koser Citrate Medium</b> Medium for enterobacteria differentiation on the basis of their capability of utilizing citrate as the sole carbon source.	AOAC	500 g 100 g	610165 620165
<b>LB Agar</b> Medium for cultivation of recombinant <i>Escherichia coli</i> .		500 g	610245
<b>LB Medium (Luria Bertani)</b> Medium for cultivation of recombinant <i>Escherichia coli</i> .		500 g 100 g	610084 620084
<b>Legionella CYE Agar Base (w/o ACES and <math>\alpha</math>-Chetoglutamic Acid)</b> Basal medium for <i>Legionella spp.</i> isolation.	ISO 11731	500 g 100 g	610125 620125
Legionella (BCYE) growth supplement (Aces, L-cysteine, Ferric pyrophosphate, $\alpha$ -keto-glutanate).	ISO 11731	10 vials	81056
Legionella (BCYE) growth supplement w/o L-Cysteine		10 vials	81091
Legionella (BMPA) supplement (Cefamandole, Polymyxin B, Anisomycin)		10 vials	81002
Legionella (GVPC) supplement (Glycine, Vancomycin, Polymyxin B, Cycloheximide).	ISO 11731	10 vials	81008
Legionella (MWY) supplement (Anisomycin, Polymyxin B, Vancomycin, Glycine, Bromothynol Blue, Bromocrystal Purple).		10 vials	81019
<b>Lethen Agar Base</b> Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.		500 g 100 g	610076 620076
Lethen supplement (Lecithin)		4x50 mL	80008
Tween 80 supplement		2x50 mL	80031
<b>Lethen Broth Base</b> Basal medium for coefficient phenol detection of quaternary ammonium disinfectants.	AOAC	500 g 100 g	610208 620208
Lethen supplement (Lecithin)		4x50 mL	80008
Tween 80 supplement		2x50 mL	80031
<b>Lethen Broth Modified</b> Medium for the evaluation of bactericidal activity of quaternary ammonium base.	ISO 21149	500 g	610328
Tween 80 supplement		2x50 mL	80031
<b>Listeria Enrichment Broth Base (Lovett)</b> Broth for enrichment of <i>Listeria spp.</i> according to Lovett formulation.	APHA	500 g 100 g	610326 620326
Listeria Supplement for Enrichment (FDA/IDF)		10 vials	81045
Selective supplement for <i>Listeria</i> isolation.			
<b>Listeria Fraser Broth</b> Basal medium for <i>Listeria monocytogenes</i> selective enrichment.	ISO 11290-1	500 g 100 g	610166 620166
Listeria Fraser supplement (Ferric ammonium citrate)		10 vials	81028
Listeria Fraser supplement (liquid)		10x5 mL	80304
<b>Listeria Oxford Agar Base</b> Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610167 620167
Listeria Oxford supplement (Cefotetan, Fosfomycin)		10 vials	81027
<b>Listeria Oxford Agar Base ISO 11290</b> Basal medium w/o antibiotics and acriflavine for the isolation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g	610231
Listeria Oxford with CEF/FOS/COL/CYC/ACR supplement (Cefotetan, Fosfomycin, Colistin, Cycloheximide, Acriflavine)		10 vials	81629
<b>Listeria Palcam Agar Base</b> Basal medium for selective isolation and differentiation of <i>L. monocytogenes</i> .	ISO 11290-1	500 g 100 g	610168 620168
Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavina HCl)		10 vials	81026
<b>Listeria U.V.M. 1 Broth</b> Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g 100 g	610031 620031

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>Listeria U.V.M. 2 Broth</b> Broth for <i>Listeria monocytogenes</i> selective enrichment.	USDA-FSIS	500 g	610045
		100 g	620045
<b>Litmus Milk</b> Medium for the maintenance of lactic acid bacteria and for the determination of bacterial action on milk.		500 g	610318
<b>Lowenstein Jensen Medium</b> Selective medium for mycobacteria isolation. Glycerol supplement (Glycerol)		500 g	610026
		100 g	620026
		4x50 mL	80021
<b>Lysine Decarboxylase Broth</b> Broth for the detection of the production of Lysine decarboxylase by <i>Enterobacteriaceae</i> .	APHA	500 g	610303
<b>Lysine Iron Agar</b> Differential medium for enterobacteria isolation.		500 g	610027
		100 g	620027
<b>M17 Agar</b> Medium for lactic streptococci cultivation.		500 g	610192
		100 g	620192
<b>M.R.S. Agar</b> Basal medium for <i>Lactobacillus</i> isolation. Tween 80 supplement	ISO 15214	500 g	610024
		100 g	620024
		2x50 mL	80031
<b>M.R.S. Broth</b> Basal medium for <i>Lactobacillus</i> enrichment and isolation. Tween 80 supplement	ISO 15214	500 g	610025
		100 g	620025
		2x50 mL	80031
<b>M.S.R.V. (Modified Semisolid Rappaport Vassiliadis) Medium Base</b> Semisolid basal medium for selective isolation of motile <i>Salmonella spp.</i> Novobiocin supplement	ISO 6579	500 g	610018
		100 g	620018
		10 vials	81021
<b>MacConkey Agar</b> Selective and differential medium for coliforms and intestinal pathogens isolation.  MUG supplement	E.P.	500 g	610028
		100 g	620028
		5 kg	6100285
		10 vials	81020
<b>MacConkey Agar w/o Crystal Violet</b> Differential moderately selective medium for enterobacteria isolation.		500 g	610195
		100 g	620195
<b>MacConkey Agar w/o Bile Salt</b> Selective and differential medium for coliforms isolation with <i>Proteus spp.</i> swarming inhibition.		500 g	610128
<b>MacConkey Broth</b> Selective and differential broth for the detection of coliforms in water, milk and other materials of sanitary importance.	E.P.	500 g	610337
<b>MacConkey Broth (Purple)</b> Selective and differential broth for coliforms isolation (with BCP).		500 g	610171
		100 g	620171
<b>MacConkey Broth Modified (w/o NaCl)</b> Selective and differential broth for coliforms isolation (with BCP).		500 g	610149
		100 g	620149
<b>MacConkey MUG Agar</b> Selective and differential medium for <i>Escherichia coli</i> isolation.		500 g	610170
		100 g	620170
		5 kg	6101705
<b>MacConkey Sorbitol Agar</b> Selective and differential medium for <i>E. coli</i> O157 isolation. Cefixime Tellurite Supplement		500 g	610108
		100 g	620108
		10 vials	81082
<b>Malonate Broth</b> Broth for enterobacteria differentiation.		500 g	610172
		100 g	620172
<b>Malt Agar</b> Medium for yeasts and moulds isolation and enumeration.	AOAC	500 g	610101
		100 g	620101
<b>Malt Extract Agar</b> Medium for yeasts and moulds isolation and enumeration.		500 g	610173
		100 g	620173
<b>Malt Extract Broth</b> Broth for yeasts and moulds culture.	AOAC	500 g	610069
		100 g	620069
<b>Malt Yeast CAF Agar</b> Selective medium for cultivating yeasts and moulds.		500 g	610246 #
<b>Maltose</b>		500 g	611602
<b>Mannitol Motility Test Medium</b> Medium for differentiation of <i>Enterobacteriaceae</i> .		500 g	610235
		100 g	620235
<b>Mannitol Salt Agar</b> Selective medium for pathogenic staphylococci isolation.	EP, USP, JP	500 g	610029
		100 g	620029
		5 kg	6100295
<b>Maximum Recovery Diluent</b> Isotonic diluent for microorganisms optimal recovery.	ISO 6887-1	500 g	610077
		100 g	620077
<b>m-CP Agar Base</b> Basal medium for selective isolation of <i>C. perfringens</i> in waters. m-CP supplement m-CP Supp.A Phenolphthalein diphosphate m-CP Supp.B Ferric chloride	98/83/EC	500 g	610199
		100 g	620199
		10 vials	81034
		10 vials	81070
		10 vials	81071

Dehydrated Culture Media			
Description		Packaging	Ref.
m-CP Supp.C Indoxyl B-D-Glucoside		10 vials	81072
<b>m-ENDO Agar LES</b> Medium for coliforms enumeration in water by membrane filtration.	APHA	500 g 100 g	611011 621011
<b>m-ENDO Broth</b> Broth for coliforms counting in water by membrane filtration.	APHA	500 g 100 g	610220 620220
<b>m-FC Agar Base</b> Selective basal medium for fecal coliforms isolation and enumeration by membrane filtration method. Rosolic acid supplement	APHA	500 g 100 g 5 kg 10 vials	611012 621012 6110125 81029
<b>m-FC Broth Base</b> Selective basal Broth for fecal coliforms isolation and enumeration by membrane filtration method. Rosolic acid supplement	APHA	500 g 100 g 10 vials	610162 620162 81029
<b>Microbial Content Test Agar Base</b> Basal medium for bacterial count determination with inactivation of disinfectants. Lecithin supplement Tween 80 supplement		500 g 4x50 mL 2x50 mL	610094 80007 80031
<b>Middlebrook 7 H 10 Agar Base</b> Basal medium for mycobacteria cultivation. Middlebrook 7 H 10 supplement (Oleic acid, Glucose, NaCl) Glycerol supplement (Glycerol)		500 g 100 g 4x50 mL 4x50 mL	611022 621022 81035 80021
<b>Milk Plate Count Agar</b> Medium for bacterial count in milk and dairy products.		500 g 100 g	610073 620073
<b>Motility Indole Urea Agar</b> Medium for Enterobacteriaceae identification.		500 g	610236
<b>Motility Nitrate CP Medium</b> Selective medium for motile nitrate-utilizing microorganisms ( <i>P. aeruginosa</i> , <i>C. perfringens</i> ).		500 g	610371
<b>Motility Test Agar</b> Medium for the detection of motility of gram-negative enteric bacilli.		500 g 100 g	610132 620132
<b>MRS Broth w/o Glucose</b> Liquid medium for cultivating lactobacilli from clinical and nonclinical specimens. Tween 80 supplement		500 g 100 g 2x50 mL	610144 620144 80031
<b>MRS-IM + Maltose Agar</b> Medium for counting probiotic bacteria. Tween 80 supplement		500 g 100 g 2x50 mL	610067 620067 80031
<b>MRS-IM + Glucose Agar</b> Medium for counting probiotic bacteria. Tween 80 supplement Dicloxacinil Supplement		500 g 100 g 2x50 mL 10 vials	610068 620068 80031 81094
<b>MR-VP Broth</b> Broth for carrying out Methyl Red (MR) and Voges-Proskauer (VP) tests.	ISO 6785 ISO 6579	500 g 100 g	610032 620032
<b>Mueller Hinton Agar II</b> Medium for susceptibility test (Kirby Bauer method), low concentration of thymine-thymidine with Ca <sup>++</sup> and Mg <sup>++</sup> .	CLSI	500 g 100 g 5 kg	610627 620627 6106275
<b>Mueller Hinton Broth II</b> Broth for susceptibility test by dilution method, low concentration of thymine-thymidine with Ca <sup>++</sup> and Mg <sup>++</sup> .	CLSI	500 g 100 g	610218 620218
<b>Muller Kauffmann Broth Base</b> Basal broth for <i>Salmonella spp.</i> selective enrichment. <b>Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green)</b>	ISO 6785	500 g 100 g 2x50 mL Iodine 50 mL B.G. 0.1%	610035 620035 80047
<b>Muller Kauffmann Tetrathionate Broth Base</b> Basal medium for <i>Salmonella spp.</i> selective enrichment from water, foodstuffs and fecal samples. Iodine MKTT Solution Novobiocin MKTT Supplement	ISO 6579	500 g 100 g 10 tubes x 10 mL 10 vials	610239 620239 80009 81073
<b>Nitrate Broth</b> Broth for the identification of aerobic and facultative anaerobic gram-negative microorganisms by means of the nitrate reduction test.		500 g	610322
<b>Nutrient Agar</b> Medium for non fastidious bacteria growth.	ISO 16266	500 g 100 g 5 kg	610036 620036 6100365
<b>Nutrient Agar Modified</b> Medium for the cultivation of non-fastidious bacteria from clinical and non clinical specimens.		500 g	610385



Dehydrated Culture Media			
Description		Packaging	Ref.
<b>Nutrient Broth</b> Broth for non fastidious bacteria growth.	APHA	500 g 100 g 5 kg	610037 620037 6100375
<b>Nutrient Broth no.2</b> Broth for non fastidious bacteria growth. Base Broth for the enrichment of <i>Campylobacter spp.</i>	ISO 17995	500 g 100 g	610217 620217
Campylobacter Preston supplement (Polymyxin B, Trimethoprim, Cycloheximide, Rifampicin)		10 vials	81004
Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)		10 vials	81050
Lysed Horse Blood		100 mL	83397
<b>Nutrient Broth no.2 ISO 10272-1</b> For the cultivation and enrichment of less fastidious bacteria for the establishment of permanent cultures, as well as a base in the preparation of special media, according to ISO 10272-1	ISO 10272-1	500 g	610393
<b>O.F. Basal Medium</b> Medium for the detection of oxidative and fermentative carbohydrate degradation, particularly for the differentiation of gram-negative intestinal bacteria.		500 g	610304
<b>O.G.Y.E. Agar Base</b> Basal medium for selective enumeration of yeasts and moulds.	ISO 21527-1 ISO 21527-2	500 g 100 g 5 kg	610202 620202 6102025
O.G.Y.E. supplement (Oxytetracycline)		10 vials	81018
<b>Orange Serum Agar</b> Medium for isolation and count of bacteria and yeasts in citrus fruit and by-products.	APHA	500 g 100 g 5 kg	610078 620078 6100785
<b>Orange Serum Broth</b> Broth for cultivation and enumeration of microorganisms associated with spoilage of citrus products.		500 g	610307
<b>Ornithine Decarboxylase Broth</b> Broth for the detection of the production of ornithine decarboxylase by <i>Enterobacteriaceae</i> .		500 g	610305
<b>P.P.L.O. Broth</b> Broth for mycoplasma cultivation.	APHA	500 g 100 g	610109 620109
<b>Peptone Water</b> Medium for indole production detection.	ISO 7251	500 g 100 g	610038 620038
<b>Pfizer Selective Enterococcus Agar</b> Medium for selective isolation, cultivation and enumeration of <i>Enterococcus spp.</i>		500 g	610319
<b>Phenol Red Agar Base</b> Base medium used with the addition of carbohydrates for differentiating pure culture of bacteria based on sugar fermentation reactions.		500 g	610308
<b>Phenol Red Broth Base</b> Broth for carbohydrates fermentation studies.		500 g 100 g	610174 620174
<b>Phenylalanine Agar</b> Medium for enterobacteria differentiation. Ferric chloride 10%		500 g 100 g 2x25 mL	610039 620039 80272
<b>Phenylalanine Malonate Broth</b> Broth for enterobacteria differentiation. Ferric chloride 10%		500 g 100 g 2x25 mL	610075 620075 80272
<b>Plate Count Agar</b> Medium for total bacterial count detection in foodstuffs and water.	ISO 4833	500 g 100 g 5 kg	610040 620040 6100405
<b>Potato Dextrose Agar</b> Medium for yeasts and moulds enumeration in food and dairy products.	E.P.	500 g 100 g 5 kg	610102 620102 6101025
<b>Potato Dextrose Broth</b> Broth for yeasts and moulds enumeration in food and dairy products.	APHA	500 g 100 g 5 kg	610106 620106 6101065
<b>Potato Infusion Agar</b> Medium for <i>Brucella spp.</i> isolation.		500 g 100 g	610011 620011
<b>Proteose Peptone</b> Special peptone obtained by enzymatic hydrolysis of animal tissue.		500 g	612201
<b>Pseudomonas Agar Base</b> Basal medium for selective isolation of <i>Pseudomonas spp.</i>	ISO 12780	500 g 100 g	610071 620071
Glycerol supplement (Glycerol)		4x50 mL	80021
C.F.C. (Pseudomonas) supplement (Cetrimide, Fucidin, Cephalordine)		10 vials	81049
C.N. (Pseudomonas) supplement (Cetrimide, Nalidix acid)	ISO 12780	10 vials	81006
Pseudomonas PP Supplement		10 vials	81093
<b>Pseudomonas Agar F</b> Medium for the enhancement of fluoescin production by <i>Pseudomonas spp.</i>	ISO 12780	500 g	610309

Dehydrated Culture Media			
Description		Packaging	Ref.
Glycerol supplement		4x50 mL	80021
<b>Pseudomonas Agar P</b> Medium for the enhancement of pyocyanin production by <i>Pseudomonas spp.</i>	U.S.P.	500 g	610310
<b>Purple Glucose Agar</b> Medium for enterobacteria isolation and differentiation.	ISO 21528-2	500 g 100 g	610194 620194
<b>Purple Lactose Agar</b> Medium for coliforms isolation and differentiation.		500 g 100 g	610044 620044
<b>R2 Agar</b> Medium for heterotrophic microorganisms count in the examination of potable water.	E.P.	500 g 100 g	610129 620129
<b>Rappaport Vassiliadis Broth</b> Selective enrichment Broth for <i>Salmonella</i> isolation.	ISO 6785 ISO 6579	500 g 100 g	610175 620175
<b>Reinforced Clostridial Agar</b> Medium for isolation and enumeration of anaerobes, specially <i>Clostridium spp.</i>	ISO 6461-1	500 g 100 g	610096 620096
<b>Rogosa Agar</b> Selective basal medium for lactobacilli isolation and enumeration.		500 g 100 g	610176 620176
Tween 80 supplement		2x50 mL	80031
<b>Rogosa Broth</b> Selective basal broth for lactobacilli culture.		500 g 100 g	610177 620177
Tween 80 supplement		2x50 mL	80031
<b>Rose Bengal Agar Base</b> Basal Broth for selective isolation and enumeration of yeasts and moulds.	APHA	500 g 100 g 5 kg	610178 620178 6101785
Chloramphenicol supplement		10 vials	81017
<b>Rose Bengal CAF Agar</b> Selective medium for yeasts and moulds isolation and enumeration.	APHA	500 g 100 g	610090 620090
<b>Sabouraud Dextrose Agar</b> Medium for yeasts and moulds isolation.	harmonized EP	500 g 100 g 5 kg	610103 620103 6101035
Chloramphenicol supplement		10 vials	81017
Gentamicin supplement		10 vials	81033
<b>Sabouraud Dextrose Broth</b> Broth for yeasts, moulds and acidophilic bacteria cultivation.	harmonized EP	500 g 100 g	610104 620104
<b>Sabouraud CAF Agar</b> Selective medium for yeasts and moulds isolation.	APHA	500 g 100 g	610203 620203
<b>Sabouraud CAF (50 mg) Agar</b> Selective medium for the isolation, identification and cultivation of pathogenic and nonpathogenic fungi.		500 g	610625
<b>Sabouraud CAF Agar + Actidione</b> Selective medium for dermatophyte isolation.		500 g 100 g	610179 620179
<b>Sabouraud Maltose Agar</b> Acid medium for the isolation of dermatophytes, other fungi and yeasts.	U.S.P.	500 g 100 g	610146 620146
<b>Schaedler Agar Base</b> Basal medium for anaerobic bacteria isolation.		500 g 100 g	610043 620043
Sheep Blood Defibrinated		50 mL	83296
Vitamin K 1% supplement		5x5 mL	80053
Schaedler supplement (Kanamycin, Vancomycin)		10 vials	81054
<b>Schaedler Broth</b> Broth for anaerobic bacteria cultivation.		500 g 100 g	610137 620137
<b>Schwarz Differential Medium</b> Medium used in the brewing industry for the differentiation of brewing yeasts from wild yeasts.		500 g	610127
<b>Selenite Broth</b> Broth for selective enrichment of <i>Salmonella spp.</i>	APHA	500 g 100 g 5 kg	610145 620145 6101455
<b>Selenite Cystine Broth</b> Medium for selective enrichment of <i>Salmonella spp.</i>	ISO 6785	500 g 100 g	610150 620150
<b>S.F. Broth</b> Broth medium for fecal streptococci isolation.	AOAC	500 g 100 g	610180 620180
<b>Sierra Lipolytic Agar</b> Medium for lipolytic bacteria isolation.		500 g 100 g	611015 621015
<b>SIM Medium</b> Differential medium for indole, motility and H <sub>2</sub> S tests.		500 g 100 g	610181 620181
<b>Simmons Citrate Agar</b> Differential medium for enterobacteria identification based on the utilization of citrate as the sole source of carbon.	ISO 10273	500 g 100 g	610046 620046
<b>Slanetz-Bartley Agar Base</b> Selective basal medium for fecal streptococci isolation and enumeration.	ISO 7899-2	500 g 100 g	610134 620134
TTC 1% supplement		5x10 mL	80300

Dehydrated Culture Media			
Description		Packaging	Ref.
<b>Slanetz-Bartley Agar + TTC</b> Selective medium for fecal streptococci isolation and enumeration.	ISO 7899-2	500 g 100 g 5 kg	610147 620147 6101475
<b>SPS Agar</b> Selective medium for <i>Clostridium perfringens</i> and sulphite-reducing bacteria isolation and enumeration.	APHA	500 g 100 g	610148 620148
<b>S.S. Agar Modified</b> Selective medium for Salmonella and <i>Shigella</i> isolation.		500 g 100 g 5 kg	610042 620042 6100425
<b>Staphylococcus 110 Agar</b> Selective medium for staphylococci isolation.		500 g	611366
<b>Stuart Transport Medium</b> Semisolid medium for transport of clinical specimens and microorganisms.		500 g 100 g	610182 620182
<b>TBX Agar</b> Selective chromogenic medium for <i>E. coli</i> detection in food.	ISO 16649-2	500 g 100 g	610224 620224
<b>T.C.B.S. Agar</b> Selective medium for <i>Vibrio spp.</i> isolation.		500 g 100 g	611010 621010
<b>Tergitol Agar Base</b> Basal medium for coliforms enumeration and identification. TTC 1% supplement	ISO 9308-1	500 g 100 g 5x10 mL	610184 620184 80300
<b>T.S.I. Agar</b> Differential medium for enterobacteria identification.	U.S.P.	500 g 100 g	610055 620055
<b>Tetrathionate Broth Base</b> Basal broth for <i>Salmonella spp.</i> enrichment Iodine solution (Iodine, Potassium iodide)	APHA U.S.P.	500 g 100 g 5x10 mL	610183 620183 81009
<b>Todd Hewitt Broth</b> Broth for haemolytic streptococci culture prior to serological identification.		500 g 100 g 5 kg	610051 620051 6100515
<b>TOS Propionate Agar Base</b> Basal medium for detection of bifidobacteria in milk products. MUP Selective Supplement	ISO 29981	500 g 10 vials	610378 81101
<b>Trichomonas Broth</b> Selective base Broth for <i>Trichomonas spp.</i> isolation. Horse Serum		500 g 100 g 100 mL	610061 620061 83810
<b>Tryptic (CTA) Medium</b> Semisolid medium for motility test and carbohydrates fermentation.		500 g 100 g	610185 620185
<b>Tryptic Soy Agar</b> Medium for the growth of a wide variety of microorganisms.	E.P.	500 g 100 g	610052 620052
<b>Tryptic Soy Broth</b> Broth for the growth of a wide variety of microorganisms.	E.P.	500 g 100 g 5 kg	610053 620053 6100535
<b>TSYE Agar (Tryptic Soy Yeast Extract Agar)</b> General use medium for bacteria cultivation.	ISO 11290	500 g 100 g	610349 620349
<b>Trytone Glucose Extract Agar</b> Medium for cultivation and count of microorganisms in food and water.	APHA	500 g 100 g	610089 620089
<b>Trytone Soya Yeast Extract Broth</b> Medium for the confirmation of <i>Listeria monocytogenes</i> .	ISO 11290-1	500 g 100 g	610241 620241
<b>Trytone Sulfite Neomycin Agar</b> Medium for <i>Clostridium perfringens</i> detection in food.		500 g 100 g	610074 620074
<b>Trytone Water</b> Liquid medium for <i>Escherichia coli</i> detection in food and water.		500 g 100 g	610206 620206
<b>Tryptophan Broth</b> Broth of subcultivation for coliform differentiation, and for indole testing in the bacteriological examination of water.	ISO 9308-1 ISO 6579 ISO 6785	500 g 100 g	610197 620197
<b>Tryptose Agar</b> Medium for the growth of a wide variety of microorganisms.	APHA	500 g 100 g	610193 620193
<b>Tryptose Broth</b> Broth for cultivating and maintaining of fastidious microorganisms, including <i>Brucella spp.</i>		500 g 100 g	610233 620233
<b>Tryptose Phosphate Broth</b> Broth for the cultivation of a wide variety of fastidious microorganisms.		500 g 5 kg	610364 # 6103645 #
<b>Urea Agar Base</b> Basal medium for enterobacteria urease test. Urea 40% supplement	ISO 6785 ISO 6579	500 g 100 g 10x5 mL	610107 620107 80292
<b>Urea Broth</b> Broth for the detection of microorganisms which metabolize urea.		500 g	610311
<b>Violet Red Bile Agar MUG</b> Selective medium for isolation and counting of coliforms and <i>Escherichia coli</i> .		500 g 100 g	610187 620187

<b>Dehydrated Culture Media</b>			
Description		Packaging	Ref.
<b>Violet Red Bile Glucose Agar</b> Selective medium for enterobacteria isolation and enumeration.	ISO 21528-2 E.P.	500 g 100 g	610059 620059
<b>Violet Red Bile Lactose Agar</b> Selective medium for coliforms isolation and enumeration.	ISO 4832	500 g 100 g 5 kg	610058 620058 6100585
<b>Vogel Johnson Agar</b> Selective basal medium for <i>Staphylococcus aureus</i> isolation.	U.S.P.	500 g 100 g	610186 620186
Potassium Tellurite 1% supplement		5x10 mL	80022
Potassium Tellurite 3.5% supplement		5x10 mL	80291
<b>V.R.B. Agar w Glucose / Lactose</b> Medium recommended for the detection and enumeration of enterobacteria.	E.P.	500 g	610336
<b>VRE Agar Base</b> Medium for isolating Vancomycin-resistant enterococci.		500 g	610501
Meropenem Supplement		10 vials	81083
<b>Water Detect Coliforms</b> Chromogenic medium for detection of <i>E. coli</i> and other coliforms in water		500 g 100 g	610382 620382
<b>W.L. Nutrient Agar</b> Medium for the enumeration and cultivation of yeasts and bacteria in the microbiological control carried out in the brewing and other fermentation industries.		500 g 100 g	610234 620234
<b>Wort Agar</b> Medium for the cultivation, isolation and enumeration or enrichment of fungi, especially of yeasts.		500 g	610323
<b>Wort Broth w/o NaCl</b> Basal Broth for isolation and enumeration of yeasts and moulds.		500 g	610080
Glycerol supplement (Glycerol)		4x50 mL	80021
<b>Wurtz Lactose Agar</b> Medium for enterobacteria isolation.		500 g 100 g	611210 621210
<b>XLD Agar</b> Differential and selective medium for pathogenic enterobacteria isolation.	ISO 21567 ISO 6579	500 g 100 g 5 kg	610060 620060 6100605
<b>XLT4 Agar Base</b> Basal medium for selective isolation of <i>Salmonella non typhi</i> and <i>paratyphi</i> .		500 g 100 g	610092 620092
<b>XLT (Tergitol 4)</b>		2x50 mL	80010
<b>Yeast Extract Agar</b> Medium for microorganisms enumeration in water.	ISO 6222	500 g 100 g	611016 621016
<b>Yeast Extract Sodium Lactate Medium</b> Medium for the isolation, cultivation and maintenance of <i>Propionibacterium spp.</i>		500 g	610363 #
<b>Yeast Glucose Chloramphenicol Agar</b> Selective medium for yeasts and moulds isolation and enumeration.	ISO 21527-1	500 g 100 g	610070 620070
<b>Yersinia ITC Broth Base</b> Enrichment broth for detecting <i>Yersinia enterocolitica</i> in food and water.	ISO10273	500 g	610369
Yersinia ITC Supplement	ISO10273	10 vials	81092
<b>Yersinia PSB Broth</b> Enrichment broth for detecting <i>Yersinia enterocolitica</i> in food and water.	ISO 10273	500 g	610370
<b>Yersinia Selective Agar Base</b> Basal medium for selective isolation of <i>Yersinia enterocolitica</i> .	ISO 10273	500 g 100 g	610111 620111
Yersinia supplement (Cefsulodin, Irgasan, Novobiocin)	ISO 10273	10 vials	81039

<b>Ingredients for culture media</b>		
Description	Packaging	Ref.
<b>Acid Hydrolysate of Casein</b> Product obtained by acid hydrolysis of casein.	500 g 100 g	610496 620496
<b>Agar Bacteriological</b> Purified Agar for culture media preparation.	500 g 100 g 5 kg	611001 621001 6110015
<b>Beef Extract</b> Beef extract obtained by enzymatic hydrolysis of animal proteins.	500 g 100 g 5 kg	610497 620497 6104975
<b>Bile Bacteriological</b> Bacteriological bile obtained by bile purification.	500 g 100 g	611367 621367
<b>Bile Salt No. 3</b> Purified extract obtained of bovine bile.	500 g 5 kg	611901 6119015
<b>Brain Heart Infusion</b> Infusion obtained by enzymatic hydrolysis of brain and heart.	500 g 100 g 5 kg	610495 620495 6104955
<b>Gelatin Bacteriological</b> Purified gelatin for bacteriological use.	500 g 5 kg	611002 6110025
<b>Gelatin Pancreatic Peptone</b> Peptone obtained by pancreatic digest of gelatin.	500 g	611503
<b>Glucose</b> Glucose for bacteriological use.	500 g 100 g 5 kg	611601 621601 6116015
<b>Hemoglobin</b> Autoclavable hemoglobin from beef blood, for preparing microbiological culture media.	500 g	611706
<b>Lactose</b> Lactose for bacteriological use.	500 g 100 g 5 kg	610498 620498 6104985
<b>Liver Extract</b> Dehydrated extract of bovine liver.	500 g 5 kg	612001 6120015
<b>Malt Extract</b> Dehydrated extract obtained from sprouted grain.	500 g 100 g 5 kg	611006 621006 6110065
<b>Peptone Bacteriological</b> Peptone obtained by enzymatic hydrolysis of animal tissues.	500 g 100 g 5 kg	611701 621701 6117015
<b>Peptone Mycological</b> Mixture of peptones for yeast culture.	500 g 5 kg	612101 6121015
<b>Polypeptone</b> Pancreatic digest of casein and peptic digest of animal tissue combined in equal parts.	500 g	610492
<b>Proteose Peptone</b> Special peptone obtained by enzymatic hydrolysis of animal tissues.	500 g 5 kg	612201 6122015
<b>Skim Milk</b> Pasteurized product resulting from the removal of water from nonfat milk (APHA).	500 g	610491
<b>Sodium Chloride</b> Sodium Chloride for bacteriological use.	500 g 100 g	611000 621000
<b>Sodium Desoxycholate</b> Sodium desoxycholate for bacteriological use.	500 g 5 kg	612401 6124015
<b>Sodium Selenite</b> Sodium selenite for bacteriological use.	500 g 5 kg	611003 6110035
<b>Soy Peptone</b> Soy peptone obtained by enzymatic hydrolysis of soy bean meal.	500 g 5 kg	612501 6125015
<b>Sucrose</b> Sucrose for bacteriological use.	500 g 5 kg	611801 6118015
<b>Tryptone</b> Product obtained by pancreatic hydrolysis of casein.	500 g 100 g 5 Kg	611004 621004 6110045
<b>Tryptose</b> Product obtained by enzymatic hydrolysis of casein, yeasts and animal tissues.	500 g 5 Kg	611008 6110085
<b>Yeast Extract</b> Yeast extract obtained by autolysis of <i>Saccharomyces cerevisiae</i> .	500 g 100 g 5 Kg	611005 621005 6110055

Freeze-dried selective and growth supplements		
Description	Packaging	Ref.
		
<b>Ampicillin supplement</b> Selective supplement for <i>Aeromonas hydrophila</i> isolation.	10 vials	81001
<b>Bacillus cereus supplement (Polymyxin B)</b> Selective supplement for <i>Bacillus cereus</i> isolation (ISO 7932).	10 vials	81016
<b>Bordetella supplement (Cephalexin)</b> Selective supplement for Bordetella isolation.	10 vials	81013
<b>Brucella supplement (Polymyxin B, Bacitracin, Cycloheximide, Nalidixic acid, Nystatin, Vancomycin)</b> Selective supplement for <i>Brucella</i> spp. isolation.	10 vials	81003
<b>Campylobacter growth supplement (Sodium pyruvate, Sodium metabisulphite, Ferrous sulphate)</b> Growth supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81050
<b>Campylobacter Blaser Wang supplement (Polymyxin B, Trimethoprim, Amphotericin B, Cephalexin, Vancomycin)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81051
<b>Campylobacter Butzler supplement (Bacitracin, Cycloheximide, Colistin sulphate, Sodium cephalozin, Novobiocin)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81015
<b>Campylobacter C.C.D.A. supplement (Cefoperazone, Amphotericin B)</b> Selective supplement for <i>Campylobacter</i> spp. isolation (ISO 10272-1).	10 vials	81037
<b>Campylobacter C.T.V.N. supplement (Cefoperazone, Trimethoprim, Vancomycin, Cycloheximide)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81038
<b>Campylobacter Karmali supplement (Sodium pyruvate, Cefoperazone, Cycloheximide, Vancomycin)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81036
<b>Campylobacter Preston supplement (polymyxin B, Rifampicin, Cycloheximide, Trimethoprim)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81004
<b>Campylobacter Skirrow supplement (Polymyxin B, Vancomycin, Trimethoprim)</b> Selective supplement for <i>Campylobacter</i> spp. isolation.	10 vials	81055
<b>C.F.C. (Pseudomonas) supplement (Cetramide, Fucidin, Cephalotin)</b> Selective supplement for <i>Pseudomonas</i> isolation.	10 vials	81049
<b>Cefoxitin MRSA Supplement</b> Selective supplement for the detection of Methicillin resistant <i>Staphylococcus aureus</i> .	10 vials	81087
<b>Chloramphenicol supplement</b> Selective supplement for yeasts and moulds isolation.	10 vials	81017
<b>Clostridium difficile supplement (D-Cycloserine, Cefoxitin)</b> Selective supplement for <i>Clostridium difficile</i> isolation.	10 vials	81007
<b>Clostridium perfringens (T.S.C.) supplement (D-Cycloserine)</b> Selective supplement for <i>Clostridium perfringens</i> isolation (ISO 7937).	10 vials	81011
<b>C.N. (Pseudomonas) supplement (Cetrimide, Nalidixic acid)</b> Selective supplement for <i>Pseudomonas aeruginosa</i> isolation (ISO 12780).	10 vials	81006
<b>C.N.A. (Staf / Strep) supplement (Colistin sulphate, Nalidixic acid)</b> Selective supplement for staphylococci, streptococci, pneumococci isolation.	10 vials	81048
<b>Dermatophyte supplement (Chlortetracycline)</b> Selective supplement for dermatophytes fungi isolation.	10 vials	81025
<b>Gardnerella vaginalis supplement (Gentamicin, Nalidixic acid, Amphotericin B)</b> Selective supplement for <i>Gardnerella vaginalis</i> isolation.	10 vials	81040
<b>Gentamicin supplement</b> Selective supplement for yeasts and moulds isolation.	10 vials	81033
<b>Haemophilus supplement (Bacitracin, Vancomycin, Clindamycin)</b> Selective supplement for <i>Haemophilus</i> spp. isolation.	10 vials	81014
<b>Kanamycin supplement</b> Selective supplement for group D streptococci isolation (APHA).	10 vials	81030
<b>Kanamycin / Polymyxin B supplement</b> Selective supplement for <i>Clostridium perfringens</i> supplement.	10 vials	81031

Freeze-dried selective and growth supplements		
Description	Packaging	Ref.
<b>L.C.A.T. supplement</b> (Lincomycin, Colistin sulphate, Amphotericin B, Trimethoprim) Selective supplement for pathogenic neisseriae isolation.	10 vials	81012
<b>Legionella AB supplement</b> Selective supplement for enrichment of <i>Legionella</i> spp.	10 vials	81099
<b>Legionella growth supplement</b> (L-Cysteine, Ferric pyrophosphate) Growth supplement for <i>Legionella</i> spp. isolation.	10 vials	80056
<b>Legionella (B.C.Y.E.) growth supplement (L-Cysteine, Ferric pyrophosphate, ACES, Potassium hydroxide, Bromothymol blue, <math>\alpha</math>-ketoglutarate)</b> Growth supplement for <i>Legionella</i> spp. isolation (ISO 11731).	10 vials	81056
<b>Legionella (B.M.P.A.) supplement (Anysomycin, Cefamandole, Polymyxin B)</b> Selective supplement for <i>Legionella</i> spp. isolation.	10 vials	81002
<b>Legionella (G.V.P.C.) supplement (Cycloheximide, Glycine, Polymyxin B, Vancomycin)</b> Selective supplement for <i>Legionella</i> spp. isolation (ISO 11731).	10 vials	81008
<b>Legionella (M.W.Y.) supplement</b> (Anysomycin, Glycine, Polymyxin B, Vancomycin, Bromothymol blue, Bromocresol purple) Selective supplement for <i>Legionella</i> spp. isolation.	10 vials	81019
<b>Listeria Fraser supplement (Ferric ammonium citrate)</b> Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81028
<b>Listeria Oxford supplement (Cefotetan, Fosfomicin)</b> Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81027
<b>Listeria Oxford WITH CEF/FOS/COL/CYC/ACR supplement</b> (Cefotetan, Fosfomicin, Colistin, Cycloheximide, Acriflavine) Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10 vials	81629
<b>Listeria Palcam supplement (Polymyxin B, Ceftazidime, Acriflavine HCl)</b> Selective supplement for <i>Listeria monocytogenes</i> isolation (ISO 11290-1).	10 vials	81026
<b>Listeria supplement for enrichment (FDA/IDF)</b> Selective supplement for <i>Listeria</i> isolation.	10 vials	81045
<b>m-CP supplement</b> Selective supplement for <i>Clostridium perfringens</i> isolation (D.L.vo 2/2/2001 np.31).	10 vials	81034
<b>MUG supplement (Methylumbelliferyl-<math>\beta</math>-D-glucosonide)</b> Supplement for <i>Escherichia coli</i> identification.	10 vials	81020
<b>Novobiocin supplement</b> Selective supplement for <i>Salmonella</i> isolation (ISO 6579).	10 vials	81021
<b>O.N.P.G. 1.5% supplement (<math>\alpha</math>-nitrophenyl-<math>\beta</math>-D-galactopyranoside)</b> Supplement for enzyme $\beta$ -galactosidase determination.	10 vials	81032
<b>Preston Supplement ISO 10272-1</b> Selective supplement for <i>Campylobacter</i> spp. isolation (ISO 10272-1).	10 vials	81100
<b>Rosolic acid supplement</b> Selective supplement for faecal coliforms isolation.	10 vials	81029
<b>R.P.F. supplement (Rabbit plasm, Bovine fibrinogen, Tripsin inhibitor, Potassium tellurite)</b> Selective supplement for coagulase positive staphylococci identification (ISO 6888-2).	8 vials	81057
<b>Schaedler supplement (Kanamycin, Vancomycin)</b> Selective supplement for anaerobes isolation.	10 vials	81054
<b>V.C.A.T. supplement (Vancomycin, Colistin sulphate, Amphotericin B, Trimethoprim)</b> Selective supplement for pathogenic neisseriae isolation.	10 vials	81041
<b>V.C.N. supplement (Vancomycin, Colistin sulphate, Nystatin)</b> Selective supplement for pathogenic neisseriae isolation.	10 vials	81022
<b>V.C.N.T. supplement (Vancomycin, Colistin sulphate, Nystatin, Trimethoprim)</b> Selective supplement for pathogenic neisseriae isolation.	10 vials	81024
<b>Vancomycin (5 mg) Supplement</b> Selective supplement for the isolation of <i>Cronobacter</i> (formerly called <i>Enterobacter</i> ) <i>sakazakii</i> .	10 vials	81064
<b>VITALEX growth supplement (Glutamine, Adenine, NAD)</b> Growth supplement for fastidious microorganisms isolation.	10 vials	81023
<b>Yersinia supplement (Cefsulodin, Irgasan, Novobiocin)</b> Selective supplement for <i>Yersinia</i> spp. isolation (ISO 10273).	10 vials	81039

Liquid Supplements		
Description	Packaging	Ref.
		
<b>Egg Yolk emulsion</b> Supplement for lecithinase producers bacteria ( <i>Staphylococcus</i> , <i>Bacillus</i> and <i>Clostridium</i> ) identification (ISO 7932).	4x50 mL 6x100 mL	80219 80124
<b>Egg Yolk Tellurite emulsion</b> <b>Egg Yolk Tellurite emulsion 20%</b> Supplement for coagulase positive staphylococci isolation (ISO 6888-1).	4x50 mL 4x50 mL	80122 80123
<b>Eugon LT 100 Supplement</b> Supplement for the enrichment and detection of aerobic bacteria in cosmetic products	4x10 mL	80048
<b>Glycerol supplement</b> Supplement for culture media preparation.	4x50 mL	80021
<b>Iodine solution</b> Supplement for culture media preparation.	5x10 mL	81009
<b>Lecithin supplement</b> Emulsion of lecithin.	4x50 mL	80007
<b>Letheen supplement</b> Sterile emulsion of lecithin for Letheen media.	4x50 mL	80008
<b>Listeria Fraser supplement (Ferric ammonium citrate)</b> Selective supplement for <i>Listeria</i> isolation (ISO 11290-1).	10x5 mL	80304
<b>Middlebrook 7 H 10 supplement (Albumina Bovina, Glucosio)</b> Supplement for Middlebrook 7 H 10 medium preparation.	4x50 mL	81035
<b>Muller Kauffmann supplement (Iodine, Potassium iodide, Brilliant green)</b> Selective supplement for Muller Kauffmann Broth.	2x50 mL Iodine 50 mL B.G. 0.1%	80047
<b>O.A. Listeria supplement</b> Supplement for selective enrichment of <i>Listeria monocytogenes</i> .	(4+4) x 500 mL	81074
<b>Potassium tellurite 1% supplement</b> <b>Potassium tellurite 3.5% supplement</b> Selective supplement for pathogenic staphylococci isolation.	5x10 mL 5x10 mL	80022 80291
<b>Tergitol 0.2% supplement</b> <b>Tergitol 1.5% supplement</b> Supplement for coliforms isolation (ISO 9308-1).	5x5 mL 4x40 mL	80035 80042
<b>Triton X 100 supplement</b> Selective supplement for fecal coliforms isolation.	5x5 mL	80046
<b>TTC 1% supplement</b> Supplement for bacteria differentiation.	5x10 mL	80300
<b>Tween 80 supplement</b> Supplement for culture media preparation.	2x50 mL	80031
<b>Urea 40% supplement</b> Supplement for urease activity of bacteria (ISO 6785) (ISO 6579).	10x5 mL 6 bottles x 100 mL	80292 80110
<b>Vitamin K 1% supplement</b> Growth supplement for anaerobes isolation.	5x5 mL	80053
<b>XLT4 supplement (Tergitol 4)</b> Selective supplement for X.L.T. 4 Agar Base.	2x50 mL	80010



<b>Animal blood and derivates</b>			# Product with minimum request
Description	Packaging	Ref.	
<b>Bovine serum</b>	50 mL	83830	
<b>Defibrinated horse blood</b>	50 mL	83395	
	100 mL	83396	
	500 mL	83394	
<b>Lysed horse blood</b>	100 mL	83397	
<b>Horse serum</b>	100 mL	83810	
<b>Defibrinated sheep blood</b>	25 mL	83298	
	50 mL	83296	
	100 mL	83297	
	500 mL	83294	
<b>Sheep Red Cells 10%</b>	25 mL	83701	

<b>Saline solutions and sputum treatment</b>		
Description	Packaging	Ref.
<b>DECONTAM KIT</b> Kit for fluidification and decontamination of sputum samples to submit to culture for mycobacteria detection.	3 bottles x 9	80060
<b>RINGER'S Solution (1/4X)</b> Freeze-dried product for preparation of Ringer (1/4X) isotonic solution for bacteriological use.	10 vials	81059